

Alberta Swine Improvement Program

CANADIANA

C2
AUG 30 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
August 1 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)			
<u>YORKSHIRE</u>											
Acadia Breeders	12 month average					61 pigs	(12.7)		(147)		100
Lacombe											
782-2836	RITR 505U	+0.3	-5.4	116	93	ACA 3002X	13.1		169		51
	JKAA 13802U	0.0	-4.6	117	78	" 3601X	10.8		169		78
	"	"	"	"	"	" 3602X	10.5		162		97
	"	"	"	"	"	" 4001X	12.9		143		105
	"	"	"	"	"	" 4004X	11.1		146		121
	"	"	"	"	"	" 4011X	13.0		155		80
	ARHL 96W					" 4401X	12.6		147		100
	"					" 4402X	12.7		144		105
	RITR 505U	+0.3	-5.4	116	93	" 4502X	13.4		153		79
	"	"	"	"	"	" 4506X	14.6		146		77
	"	"	"	"	"	" 4507X	13.2		147		93
	"	"	"	"	"	" 4508	16.8		146		51
	"	"	"	"	"	" 4902X	17.4		142		52
Bloomsbury Farms	12 month average					121 pigs	(14.6)		(145)		100
Bloomsbury											
674-3307	WM 2605W					WM 1305X	13.4		158		87
	"					" 1306X	13.2		169		70
	WM 2604W					" 1408X	16.2		148		80
	"					" 1411X	10.5		144		137
	"					" 1412X	13.4		146		108
	WM 2910W					" 2105X	13.8		142		112
	WM 2605W					" 2201X	16.8		139		91
	KKEF 2332T (1)	+0.5	-6.0	114	95	" 2406X	13.6		136		124
	"	"	"	"	"	" 2408X	16.2		137		100
	"	"	"	"	"	" 2410X	14.7		127		130
Braat, J.	12 month average					109 pigs	(11.0)		(151)		100
Coaldale											
827-9757	ARBF 784T	-1.6	+6.5	104	93	ARBF 106X	9.4		150		120
	ANZI 3863P	-2.0	+10.1	98	98	" 110X	12.8		151		81
	"	"	"	"	"	" 111X	10.7		146		111
	ARBF 784T	-1.6	+6.5	104	93	" 130X	11.8		156		84
	ANZI 3863P	-2.0	+10.1	98	98	" 136X	13.2		154		72
	"	"	"	"	"	" 151X	10.1		147		116
	"	"	"	"	"	" 152X	10.7		148		108
	BVA 6103W					" 178X	12.0		135		112

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Brownlee, J. Hairy Hill 768-2313	12 month average					61 pigs	(14.0)		(163)		100
	RITR 574U	-0.1	-5.9	125	66	AHKP 37X	13.3		187		78
	"	"	"	"	"	" 57X	14.1		178		80
	"	"	"	"	"	" 62X	14.5		165		92
	KKEF 1930T	-1.0	-1.3	122	80	" 72X	14.1		181		78
	"	"	"	"	"	" 75X	10.0		173		125
	RITR 574U	-0.1	-5.9	125	66	" 77X	12.3		153		129
	"	"	"	"	"	" 78X	16.9		138		104
	"	"	"	"	"	" 79X	15.6		155		95
	KKEF 1930T	-1.0	-1.3	122	80	" 085X	13.1		128		151
	"	"	"	"	"	" 101X	11.4		156		133
	"	"	"	"	"	" 102X	15.6		165		83
	RITR 574U	-0.1	-5.9	125	66	" 114X	12.0		168		113
	"	"	"	"	"	" 110X	13.3		164		106
	KKEF 1930T	-1.0	-1.3	122	80	" 164X	14.3		141		124
	"	"	"	"	"	" 171X	13.3		147		126
Eringsfeld, B. Coaldale 345-3420	12 month average					49 pigs	(13.1)		(164)		100
	RITR 84W					AOGK 84X	10.2		182		99
	KKEF 3084T	-0.5	+2.6	99	80	" 111X	15.0		187		42
	RITR 84W					" 132X	16.0		171		57
	"					" 181X	12.1		172		97
	"					" 182X	13.0		163		102
	KKEF 768W					" 194X	14.6		171		73
Five Lakes Farms Mayerthorpe 786-2187	12 month average					226 pigs	(12.8)		(167)		100
	ARHL 707U	-1.9	-4.3	150	61	JKAA 3605X	10.1		180		109
	RITR 964T	+1.7	+0.7	67	93	" 3701X	10.7		169		119
	RITR 97W					" 3902X	11.0		175		107
	"					" 3905X	8.7		163		149
	RITR 964T	+1.7	+0.7	67	93	" 4001X	12.4		180		84
	"	"	"	"	"	" 4102X	11.1		166		119
	ARRK 2186U (1)					" 4401X	10.7		163		128
	"					" 4403X	13.2		170		91
	"					" 4404X	10.1		172		121
	RITR 97W					" 4502X	14.6		175		68
	"					" 4504X	12.4		171		98
	RITR 964T	+1.7	+0.7	67	93	" 4801X	11.7		167		111
	"	"	"	"	"	" 4803X	11.9		156		126
	ATJG 484W (1)					" 5102X	12.1		167		107
	"					" 5104X	14.4		165		86
	"					" 5201X	13.3		161		103

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)		
ive Lakes Farms continued)	ATJG 484W (1)					JKAA 5201X	13.3	161		103
	"					" 5205X	11.1	153		139
	"					" 5206X	10.7	156		138
	RITR 964T	+1.7	+0.7	67	93	" 5704X	13.8	151		113
	"	"	"	"	"	" 5705X	13.6	161		100
	"	"	"	"	"	" 5706X	11.8	148		139
iltline Farms Ltd.	12 month average					(Not Available)				
cme										
46-4042	MILN 375T					GLFL 59X	14.7	165		
	"					" 62X	11.0	164		
	"					" 63X	13.6	169		
	MILN 327T					" 74X	12.9	179		
	NPD 320W					" 92X	14.7	165		
	ASPX 182U					" 97X	13.1	147		
	"					" 99X	13.5	152		
wynne Vista Farms	12 month average					147 pigs	(12.2)	(164)		100
wynne										
52-2998	AOGK 741T	-1.3	-1.8	132	92	GWYN 3703X	14.4	146		107
	"	"	"	"	"	" 3705X	15.9	157		77
	"	"	"	"	"	" 3706X	12.6	172		85
	"	"	"	"	"	" 3707X	17.3	150		73
	"	"	"	"	"	" 3708X	13.3	151		109
	JKAA 4308U	-2.9	-3.4	165	70	" 3804X	12.3	166		97
	"	"	"	"	"	" 3806X	8.1	165		137
	AOGK 741T	-1.3	-1.8	132	92	" 4301X	13.7	146		111
	"	"	"	"	"	" 4302X	10.2	141		150
	"	"	"	"	"	" 4303X	13.5	145		114
	"	"	"	"	"	" 4306X	10.7	150		134
atejka, G.	12 month average					383 pigs	(12.0)	(161)		100
ylvan Lake										
87-2656	KKEF 452W					KKEF 242X	12.0	165		92
	KKEF 2642U					" 251X	10.8	181		78
	KKEF 1968U	+1.4	-2.0	83	57	" 260X	13.4	158		89
	KKEF 2701S	-0.7	-5.9	137	89	" 272X	8.4	169		125
	"	"	"	"	"	" 273X	10.2	154		130
	KKEF 1882U					" 296X	10.8	181		78
	"					" 300X	15.6	157		68
	"					" 303X	13.1	159		90
	"					" 321X	14.0	143		109
	"					" 323X	15.0	150		85
	"					" 327X	12.2	158		102
	RITR 2131U					" 330X	13.4	147		108
	"					" 331X	12.0	150		118

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)		
Matejka, G. (continued)	KKEF 2434W					KKEF 344X	11.7	163		99
	KKEF 570S	+1.2	-1.5	84	64	" 401X	12.6	155		102
	ARRK 2186U (1)					" 415X	9.4	145		154
	KKEF 1968U	+1.4	-2.0	83	57	" 431X	12.6	148		113
Milne, B. Ponoka 783-6695	12 month average					131 pigs	(12.3)	(149)		100
	MILN 489U	-1.0	-5.6	141	58	MILN 180X	10.5	149		124
	"	"	"	"	"	" 182X	9.3	146		145
	ATJG 484W (1)					" 218X	8.5	141		166
	"					" 219X	11.8	138		130
	"					" 220X	11.9	139		127
	"					" 222X	9.4	140		157
	"					" 241X	12.2	133		136
	ARRK 2186U (1)					" 242X	11.4	146		117
	"					" 243X	10.8	151		115
	"					" 254X	8.0	136		184
	"					" 264X	9.2	137		167
	"					" 265X	11.0	142		132
	"					" 273X	11.4	135		143
	"					" 311X	10.5	132		160
	ROSE 501U (1)					" 320X	11.1	122		175
Norest Farms Radway 736-3790	12 month average					34 pigs	(13.1)	(149)		100
	AREE 262U	+0.5	+6.5	65	68	ATED 49X	16.2	169		46
Papenhuyzen, C. Stony Plain 963-4358	12 month average					26 pigs	(16.1)	(164)		100
	TVW 252U	-0.7	-6.4	138	67	ASUS 133X	14.8	175		99
	"	"	"	"	"	" 135X	15.6	170		96
	"	"	"	"	"	" 138X	15.9	168		97
	"	"	"	"	"	" 181X	14.7	150		134
	"	"	"	"	"	" 182X	16.3	153		113
	"	"	"	"	"	" 183X	14.8	157		123
	"	"	"	"	"	" 185X	15.8	159		109
Roeske, M. Alcomdale 939-4938	DASA 1052T	+0.4	+2.9	82	77	" 190X	16.2	159		106
	12 month average					64 pigs	(13.0)	(148)		100
	AWGF 788U					ROSE 114X	13.2	148		96
	"					" 115X	11.6	141		130
	IMP 6007S (4)					" 138X	12.3	144		115
	"					" 143X	15.5	137		88
	"					" 147X	12.9	146		104
	"					" 152X	14.7	135		101

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV	% REP		90 KG (MM)	90 KG (DAYS)			
Roeske, M. (continued)	IMP 6007S (4)					ROSE 154X	10.4	146			136
	"					" 155X	13.5	148			93
	"					" 158X	18.3	147			32
	"					" 159X	13.3	141			109
	"					" 160X	13.6	145			97
	"					" 161X	11.2	153			113
Thiessen, R. Janham	12 month average					(Not Available)					
94-2421	ASCG 5U					RON 187X	13.7	161			
	"					" 193X	15.6	162			
	"					" 194X	14.4	161			
	"					" 204X	18.6	142			
	"					" 208X	18.4	151			
<u>LANDRACE</u>											
cadia Breeders acombe	12 month average					68 pigs	(12.5)	(145)			100
82-2836	ARHL 84W					ACA 3802X	11.1	152			105
	"					" 3803X	10.9	157			98
	"					" 3805X	10.8	156			101
	ARHL 739U	-2.0	-2.9	144	79	" 3901X	14.4	168			31
	ARHL 84W					" 4203X	13.1	161			61
	ARHL 739U	-2.0	-2.9	144	79	" 4301X	10.5	145			127
	"	"	"	"	"	" 4302X	11.9	158			83
	"	"	"	"	"	" 4303X	9.9	154			116
	ROYS 13W					" 4701X	13.1	134			114
	"					" 4702X	17.4	131			65
	"					" 4704X	16.1	138			68
	"					" 5102X	9.8	133			159
arrett, R. & A. onoka	12 month average					101 pigs	(13.4)	(136)			100
83-5192	ROYS 92W					ROYS 120X	12.9	139			101
	"					" 121X	12.2	142			102
	"					" 122X	12.7	145			90
	ROYS 273U	-0.4	-1.3	112	76	" 129X	12.9	142			93
	ROYS 210U	+1.4	-6.5	103	67	" 139X	13.7	145			79
	"	"	"	"	"	" 140X	13.7	138			93
	"	"	"	"	"	" 141X	12.7	142			96
	ROYS 92W					" 149X	11.5	143			108
	ROYS 210U	+1.4	-6.5	103	67	" 151X	14.2	154			53
	"	"	"	"	"	" 152X	13.6	147			76
	"	"	"	"	"	" 164X	14.7	123			114
	"	"	"	"	"	" 165X	12.8	129			121
	ROYS 273U	-0.4	-1.3	112	76	" 188X	13.0	113			153

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV	% REP		90 KG (MM)	90 KG (DAYS)			
Braat, J. Coaldale 327-9757	12 month average										
	ASDZ 541S	+1.0	+3.9	69	93	ARBF 99X	12.9	169			
	"	"	"	"	"	" 142X	16.6	156			
Duff, D. Fort Saskatchewan 998-3101	12 month average					64 pigs	(13.6)	(151)			100
	MCMC 8T	-1.0	-0.1	117	96	DUFF 190X	14.3	156			84
	ARHL 973U					" 222X	12.3	161			95
	"					" 223X	14.1	157			84
	ARHL 973U					" 231X	13.7	154			94
	ARHL 52W					" 250X	11.5	147			130
	"					" 251X	13.1	137			134
Eringfield, B. Coaldale 345-3420	12 month average										
	TONY 1155W					AOGK 142X	15.2	175			88
Gilt Line Farms Ltd Acme 546-4042	12 month average										
	GLFL 69W					GLFL 104X	14.1	153			
Milne, B. Ponoka 783-6695	12 month average					92 pigs	(11.8)	(145)			100
	MILN 206W					MILN 189X	10.7	143			117
	"					" 190X	11.0	142			117
	EDJL 142U (1)	+2.4	-2.0	68	72	" 198X	10.9	138			124
	"	"	"	"	"	" 199X	10.1	145			123
	"	"	"	"	"	" 200X	10.3	151			109
	"	"	"	"	"	" 208X	12.5	137			105
	MILN 712W					" 228X	11.5	142			110
	"					" 229X	11.7	137			115
	"					" 230X	9.9	150			117
	"					" 231X	11.1	137			124
Norest Farms Radway 736-3790	12 month average										
	DUFF 2W					LAST 17X	13.7	158			
	"					" 23X	18.5	153			
	"					" 29X	17.3	131			
<u>LACOMBE</u>											
Bloomsbury Farms Bloomsbury 674-3307	12 month average					243 pigs	(15.2)	(139)			100
	BL 3006W					BL 1911X	11.6	152			111
	BL 15611T	+1.4	-5.0	87	76	" 2008X	14.7	151			83

INDEX	REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
			FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
	loomsbury Farms continued)	BL 15611T	+1.4	-5.0	87	76	BL 2011X	15.8		161		53
		BL 2805W					" 2105X	14.3		139		110
		"					" 2106X	16.2		152		67
		BL 2510W					" 2206X	15.2		132		114
		"					" 2207X	17.5		138		81
		"					" 2309X	14.8		148		88
		BL 15611T	+1.4	-5.0	87	76	" 2507X	13.4		134		128
		"	"	"	"	"	" 2508X	16.2		143		84
		"	"	"	"	"	" 2509X	15.2		130		118
		BL 3008W					" 2608X	12.4		126		153
		JA 7805U (1)					" 2807X	14.4		137		112
		"					" 2905X	16.3		131		106
		"					" 2907X	16.0		135		101
		BL 2605W					" 3106X	15.8		133		107
		"					" 3205X	16.3		130		107
		"					" 3206X	15.6		131		112
		"					" 3207X	14.5		120		144
		BL 2107W					" 3310X	14.6		130		124
	ive Lakes Farms ayerthorpe 86-2187	12 month average					97 pigs	(12.5)		(165)		100
		JA 5204U	+0.1	+2.8	89	78	JA 4302X	11.9		166		106
		"	"	"	"	"	" 4303X	10.9		166		117
		"	"	"	"	"	" 4304X	11.1		176		104
		JA 11201U	-1.6	+3.9	122	63	" 4602X	11.0		175		106
		JA 5204U	+0.1	+2.8	89	78	" 4905X	14.1		158		90
		BL 2504U					" 5302X	13.9		156		94
		JA 11201U	-1.6	+3.9	122	63	" 5501X	13.6		162		91
		"	"	"	"	"	" 5502X	11.1		173		107
		"	"	"	"	"	" 5504X	12.8		168		93
		"	"	"	"	"	" 5505X	10.4		171		117
		JA 5204U	+0.1	+2.8	89	78	" 6103X	12.9		139		126
		KR 1303S	-1.6	-2.5	144	96	" 7901X	10.6		144		146
	ynne Vista Farms ynne 52-2998	12 month average					75 pigs	(12.5)		(162)		100
		KR 12802U					KR 4402X	11.3		150		133
		"					" 4403X	10.2		151		141
<u>HAMPSHIRE</u>												
	loomsbury Farms loomsbury 74-3307	12 month average					113 pigs	(12.9)		(151)		100
		WM 8304T	+0.6	-10.1	113	82	WM 1503X	12.5		154		99
		WM 1505W					" 1802X	13.4		141		112
		"					" 1803X	12.4		152		104
		"					" 1806X	13.5		147		99
		WM 8304T	+0.6	-10.1	113	82	" 1909X	13.5		147		99

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
Brownlee, J. Hairy Hill 768-2313	12 month average					22 pigs	(11.9)		(177)		100
	AOVX 32U	-0.4	-1.3	118	61	AHKP 09X	10.3		197		89
	BUFA 27U					" 43X	9.8		170		130
	"					" 44X	9.5		164		141
	"					" 45X	10.2		169		127
	"					" 47X	9.1		168		139
	"					" 48X	10.4		163		134
Five Lakes Farms Mayerthorpe 786-2187	12 month average					129 pigs	(12.6)		(177)		100
	JKAA 8103U	-0.1	+4.3	91	86	YAP 2102X	11.6		187		99
	NP 5404N					NP 2901X	10.8		172		132
	"					JKAA 3103X	11.4		181		110
	JKAA 8103U	-0.1	+4.3	91	86	YAP 5402X	9.9		158		164
	"	"	"	"	"	" 5403X	11.6		155		145
Norest Farms Radway 736-3790	12 month average					(Not Available)					
	JASC 16W					JASC 4X	13.1		177		

DUROC

Papenhuyzen, C. Stony Plain 963-4358	12 month average					(Not Available)					
	AIHO 54U					ASUS 160X	15.2		155		
	"					" 161X	15.6		171		

RED WATTLES

Penalta Red Wattles Winfield 682-2269	12 month average					(Not Available)					
	GHF 6W					PEN 2X	18.4		173		
	"					" 5X	19.8		174		
	"					" 8X	22.2		180		
	"					" 10X	21.1		158		
	"					" 11X	24.5		164		
	"					" 13X	20.9		171		
	"					" 16X	17.6		165		

CROSSBRED

Bloomsbury Farms Bloomsbury 674-3307	12 month average					55 pigs	(14.7)		(142)		100
	BL 15611T					8KJ 1407X	13.8		142		107
	BL 2207W					" 1501X	15.6		154		72
	"					" 1502X	12.6		154		95

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)		90 KG (DAYS)		
100 Loomsbury Farms	BL 2207W					8KJ 1503X	13.5		148		99
continued)	"					" 1504X	12.5		134		131
89	"					" 1505X	14.7		142		100
130	"					" 1506X	14.6		148		90
141	"					" 1507X	12.6		137		125
127	WM 1505W					" 1606X	12.6		128		141
139	BL 3008W					" 2403X	14.4		118		145
134	BL 2303U	+0.3	-9.3	125	/1	" 4309X	12.3		142		119
100	raat, J.	12 month average				76 pigs	(12.9)		(143)		100
99	aldale										
132	27-9759	ARBF 64T	-1.0	-0.8	130	82	8JR 160X	10.5	151		108
110		ARBF 784T	-1.6	-6.5	104	93	" 180X	12.6	151		88
164	ilt Line Farm Ltd.	12 month average				(Not Available)					
145	me										
	46-4042	ASCG 351U				8GL 2311X	12.8		169		
		"				" 2312X	12.6		171		
		"				" 2313X	12.3		181		
		"				" 2314X	15.2		166		
	root, C.	12 month average				96 pigs	(12.3)		(162)		100
	eerlandia										
	74-4077	8CL 5793W				8CL 7022X	11.5		155		122
		"				" 7063X	11.1		167		106
	anchview Test Barn	12 month average				846 pigs	(13.0)		(154)		100
	entley										
	8-3802	8RF 3523T				8RF 1001X	11.0		155		123
		8RF 6516U				" 1011X	14.1		149		96
		"				" 1023X	8.9		152		156
		"				" 1024X	12.0		141		137
		"				" 1025X	11.7		143		137
		"				" 1026X	11.3		145		140
		8RF 6527U				" 1031X	14.3		152		86
		"				" 1033X	15.0		156		70
		"				" 1034X	11.3		151		127
		"				" 1036X	14.5		148		92
		8RF 2165T				" 1064X	15.0		151		80
		"				" 1066X	13.5		151		99
		AJCM 2425T (1)	+0.5	+6.1	64	67	" 1093X	12.1	146		126
		"	"	"	"	" 1104X	11.8		151		122
		8RF 6516U				" 1110X	11.1		146		139
		"				" 1114X	13.1		146		113
		AJCM 2425T (1)	+0.5	+6.1	64	67	" 1121X	10.8	143		149
		"	"	"	"	" 1122X	10.6		142		152

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENT.	BACKFAT		AGE 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	% REP		90 KG (MM)	90 KG (DAYS)		
Ranchview Test	NPD 8714T (1)	-0.2	+4.3	80	92	8RF	1131X	13.0	145	117
Barn (con't.)	"	"	"	"	"	"	1133X	13.2	153	100
	"	"	"	"	"	"	1137X	13.2	143	118
	"	"	"	"	"	"	1143X	12.5	155	104
	8RF 6477U					"	1153X	14.8	145	94
	"					"	1156X	12.3	136	144
	"					"	1157X	12.8	145	120

G I L T S

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
<u>YORKSHIRE</u>						
Acadia Breeders Lacombe 782-2836	79	13.4	149	11	14.2	155
Bloomsbury Farms Bloomsbury 674-3307	148	16.3	148	13	16.4	147
Braat, J. Coaldale 327-9757	186	12.1	158	21	12.5	157
Brownlee, J. Hairry Hill 768-2313	71	15.5	165	10	15.0	167
Eringfeld, B. Coaldale 345-3420	92	14.3	172	4	14.2	178
Five Lakes Farms Ltd. Mayerthorpe 786-2187	286	13.6	174	21	13.1	168
Giltline Farm Ltd. Acme 546-4042	(Not Available)			15	14.1	169
Gwynne Vista Farms Gwynne 352-2998	223	13.7	165	8	13.2	165
Matejka, G. Sylvan Lake 887-2656	289	13.0	177	8	14.0	166
Milne, B. Ponoka 783-6695	154	13.1	150	15	12.2	140

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
Norest Farms Radway 736-3790	42	15.0	153	7	18.5	150
Papenhuyzen, C. Stony Plain 963-4358	30	17.3	167	7	17.4	160
Roeske, M. Alcomdale 939-4938	157	15.0	157	34	14.1	150
Thiessen, R. & L. Wanham 694-2421	(Not Available)			9	15.7	160
<u>LANDRACE</u>						
Acadia Breeders Lacombe 782-2836	70	13.1	150	6	13.4	150
Barrett, R. & A. Ponoka 783-5192	105	13.9	139	13	14.8	150
Braat, J. Coaldale 327-9757	(Not Available)			6	16.0	150
Duff, D. Fort Saskatchewan 998-3101	131	14.1	152	5	15.0	140
Giltline Farm Ltd. Acme 546-4042	(Not Available)			3	16.6	150
Milne, B. Ponoka 783-6695	94	12.4	151	18	12.2	140
Norest Farms Radway 736-3790	(Not Available)			12	16.4	150

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD		
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT	AVG. AGE
Bloomsbury Farms Bloomsbury 674-3307	235	16.1	142	28	16.0	141
Five Lakes Farms Mayerthorpe 786-2187	118	13.5	172	20	13.1	170
Glengranum Farm Red Deer 347-0850	(Not Available)			6	15.3	151
Gwynne Vista Farms Gwynne 352-2998	130	13.9	167	15	14.5	159
<u>HAMPSHIRE</u>						
Bloomsbury Farms Bloomsbury 674-3307	111	13.5	153	1	12.2	148
Brownlee, J. Hairy Hill 768-2313	23	12.7	181	4	10.9	180
Five Lakes Farms Ltd. Mayerthorpe 786-2187	102	13.1	179	6	12.3	179
Norest Farms Radway 736-3790	(Not Available)			1	15.2	175
Papenhuyzen, C. Stony Plain 963-4358	37	14.2	174	2	15.7	165
<u>DUROC</u>						
Braat, J. Coaldale 327-9757	30	15.0	148	1	11.5	155
Giltline Farm Ltd. Acme 546-4042	(Not Available)			2	20.5	149

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			THIS PROBE PERIOD	
	# PROBED	BACKFAT (MM)	AGE (DAYS)	# PROBED	AVG. BACKFAT
Papenhuyzen, C. Stony Plain 963-4358	(Not Available)			5	15.8
<u>RED WATTLE</u>					
Penalta Red Wattles Winfield 682-2269	(Not Available)			7	21.8
<u>CROSSBRED</u>					
Bloomsbury Farms Bloomsbury 674-3307	104	16.0	141	7	15.1
Braat, J. Coaldale 327-9757	122	13.7	152	7	13.8
Chauvet, M. Legal 961-2578	161	15.1	153	14	15.5
Giltline Farm Ltd. Acme 546-4042	59	14.4	161	37	15.2
Groot, Clarence Neerlandia 674-4077	219	13.4	167	36	12.9
Gwynne Vista Farms Gwynne 352-2998	177	13.8	164	9	12.4
Ranchview Test Barn Bentley 748-3802	558	13.6	170	4	12.6
Thiessen, R. & L. Wanham 694-2421	(Not Available)			3	16.5